Section 1 - Identification of The Material and Supplier

Company Details:	**A&I Coatings Pty Ltd**
	7 Lackey Rd, Moss Vale NSW 2577
Phone:	+61 2 4869 1441 (Office Hours)
Fax:	+61 2 4869 3031
Website:	www.aicoatings.com
Email:	helpdesk@aicoatings.com
EMERGENCY TEL:	**24-hour number 61 3 8769 0291** or (M) 0458 715 846
Chemical nature:	Coating Material
Trade Name:	**Enviroset 4116 ESD Part B Hardener**
Product Use:	Hardener in an Epoxy base system. This SDS must be read in conjunction with the Enviroset ESD Part A SDS
Creation Date:	**August 2025**
This version issued:	**August 2025** and is valid for 5 years from this date.
Poisons Information Centre:	**Phone 13 1126 from anywhere in Australia**

Section 2 - Hazards Identification

2.1 Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Skin corrosion/irritation, Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317

2.2 GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU)





Signal word (GHS AU) :	Danger
Contains :	Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with 2,2'[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] homopolymer (≥ 30 – < 60 %); benzyl alcohol (≥ 30 – < 60 %); 4,4'-Isopropylidenediphenol, oligomeric reation products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine) (< 10 %); salicylic acid (< 3 %)
Hazard statements (GHS AU) :	H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction
Precautionary statements (GHS AU) :	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear face shield, protective clothing, protective gloves. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards which do not result in classification

No additional information available

Section 3 - Composition/Information on Ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with 2,2'[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] homopolymer	68609-08-5	≥ 30 – < 60	Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
benzyl alcohol	100-51-6	≥ 30 – < 60	Acute Tox. 4 (Inhalation:gas), H332 Acute Tox. 4 (Oral), H302
4,4'-Isopropylidenediphenol, oligomeric reation products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine)	113930-69-1	< 10	Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
salicylic acid	69-72-7	< 3	Acute Tox. 4 (Oral), H302 Acute Tox. 5 (Dermal), H313 Eye Dam. 1, H318

Section 4 - First Aid Measures

4.1 Description of necessary first-aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or a doctor if you feel unwell.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Gently wash with plenty of soap and water. Be careful, the product may remain trapped under clothing, footwear or a wrist-watch. Call a physician immediately. For skin burns, immediately flood the burnt area with plenty of water. Do not remove the chemical and the clothing. Chemical burns must be treated promptly by a physician.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Call a physician immediately. Rinse immediately with plenty of water. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

First-aid measures after ingestion : Call a physician immediately. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth. Do not induce vomiting.

4.2. Symptoms caused by exposure

Symptoms/effects : May cause severe burns. Harmful in contact with skin.

Symptoms/effects after skin contact : Highly corrosive to skin. May cause an allergic skin reaction. Burns.

Symptoms/effects after eye contact : Causes serious eye damage. Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

Section 5 - Fire Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Unsuitable extinguishing media are not known.

5.2. Specific hazards arising from the chemical

Fire hazard : In case of fire, corrosive gases come free.

General measures : Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Avoid contact with skin and eyes. No action shall be taken without appropriate training or involving any personal risk. Notify authorities if product enters sewers or public waters.

Hazardous decomposition products in case of fire : Thermal decomposition can lead to the release of irritating gases and vapours.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Fight fire from safe distance and protected location. Contain the extinguishing fluids by bunding. Do not enter fire area without proper protective equipment, including respiratory protection. Prevent fire fighting water from entering the environment. Use water spray or fog for cooling exposed containers. Keep upwind.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing. Wear recommended personal protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not attempt to take action without suitable protective equipment.

Hazchem Code : 2X

Section 6 - Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Avoid contact with skin and eyes. No action shall be taken without appropriate training or involving any personal risk. Notify authorities if product enters sewers or public waters.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Keep upwind. Notify fire brigade and environmental authorities. Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Breathing apparatus. Do not attempt to take action without suitable protective equipment. Safety glasses. Protective gloves. Self-contained breathing apparatus. Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Cover spill with non combustible material, e.g.: sand/earth. Evacuate unnecessary personnel. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Harmful to aquatic life with long lasting effects. Do not allow to enter drains or water courses. Prevent liquid from entering sewers, watercourses, underground or low areas. Notify authorities if product enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

For containment	:	Absorb spilled material with sand or earth.
Methods for cleaning up	:	Take up liquid spill into absorbent material. Clean up any spills as soon as possible, using an absorbent material to collect it. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

Section 7 - Handling and Storage

7.1. Precautions for safe handling

Precautions for safe handling	:	Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Provide adequate ventilation to minimize dust and/or vapour concentrations. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.
Hygiene measures	:	Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wear personal protective equipment. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	:	Comply with applicable regulations. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Storage conditions	:	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in a well-ventilated place. Keep cool.
Information on mixed storage	:	Store away from incompatible materials and products. Refer to the detailed list of incompatible materials in section 10 Stability/Reactivity.
Storage area	:	Store away from heat.
Special rules on packaging	:	Position containers so that any labeling information is visible. Keep packaging closed when not in use. Check containers and packaging regularly for leaks and damage.
Packaging materials	:	Keep only in original packaging.

Section 8 - Exposure Controls and Personal Protection

8.1. Control parameters - exposure standards

No additional information available

8.2. Monitoring methods

Monitoring methods	:	Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents. Gas detectors should be used when toxic gases may be released.

8.3. Engineering controls

Appropriate engineering controls	:	Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Personal protective equipment (PPE) must be suited to the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.
Avoid all unnecessary exposure. Safety shower with an appropriate liquid. Ocular shower with suitable liquid.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves					

Eye protection : Eye protection is provided by the respiratory protection (see section)
Skin and body protection : Wear foot protection: Chemical resistant boots. Wear protective clothing: Impervious clothing. Long sleeved protective clothing
Respiratory protection : In case of inadequate ventilation wear respiratory protection. Wear appropriate mask: Combined full gas/dust mask with filter type

Personal protective equipment symbol(s)



Other information : The following Australian and New Zealand Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337, Occupational Protective Footwear: AS/NZS2210.

Section 9 - Physical and Chemical Properties:

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point: Not applicable
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, dynamic	: ≈ 500 mPa·s
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available
Fat solubility	: No data available

Section 10 - Stability and Reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Strong acids. Strong bases. Strong oxidizers.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 - Toxicological Information

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

benzyl alcohol (100-51-6)	
LD50 oral rat	1610 mg/kg Source: OECD SIDS
LD50 oral	1580 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1410 - 1770
LD50 dermal rat	2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat	> 4.178 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Vapours)	> 4.178 mg/l

4,4'-Isopropylidenediphenol, oligomeric reation products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine) (113930-69-1)	
LD50 dermal rat	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

salicylic acid (69-72-7)	
LD50 oral rat	891 mg/kg Source: International Uniform ChemicaL Information Database
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 10000 mg/kg Source: International Uniform ChemicaL Information Database
LC50 Inhalation - Rat	> 0.225 mg/kg Source: International Uniform ChemicaL Information Database

Skin corrosion/irritation : Causes severe skin burns.

benzyl alcohol (100-51-6)	
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 451 (Carcinogenicity Studies)

salicylic acid (69-72-7)	
NOAEL (oral, rat, 90 days)	50 mg/kg bodyweight Animal: rat

Aspiration hazard : Not classified

Section 12 - Ecological Information

12.1. Ecotoxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short–term (acute) : Not classified
Hazardous to the aquatic environment, long–term (chronic) : Not classified

benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	230 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	51 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	48897 mg/l Test organisms (species): other: Duration: '30 d'
Partition coefficient n-octanol/water (Log Pow)	1.1
Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with 2,2'[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] homopolymer (68609-08-5)	
LC50 - Fish [1]	70.7 mg/l
ErC50 algae	≈ 79.4 mg/l
4,4'-Isopropylidenediphenol, oligomeric reation products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine) (113930-69-1)	
LC50 - Fish [1]	9027 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	3.56 mg/l Test organisms (species): Daphnia magna
salicylic acid (69-72-7)	
LC50 - Fish [1]	90 mg/l Source: IUCLID
EC50 - Crustacea [1]	870 mg/l Source: The ECOTOXicology database
ErC50 algae	≈ 79.4 mg/l
NOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Partition coefficient n-octanol/water (Log Pow)	2.26 Source: National Library of Medicine

12.2. Persistence and degradability
No additional information available

12.3. Bioaccumulative potential

benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.1

salicylic acid (69-72-7)	
Partition coefficient n-octanol/water (Log Pow)	2.26 Source: National Library of Medicine

12.4. Mobility in soil

benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.1
salicylic acid (69-72-7)	
Mobility in soil	23.96 Source: Quantitative Structure Activity Relation
Partition coefficient n-octanol/water (Log Pow)	2.26 Source: National Library of Medicine

12.5. Other adverse effects
Ozone : Not classified
Other adverse effects : No additional information available

Enviroset 4116 Part B	
Fluorinated greenhouse gases	False

benzyl alcohol (100-51-6)	
Fluorinated greenhouse gases	False
Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl-, reaction products with 2,2'[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane] homopolymer (68609-08-5)	
Fluorinated greenhouse gases	False
4,4'-Isopropylidenediphenol, oligomeric reation products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine) (113930-69-1)	
Fluorinated greenhouse gases	False
salicylic acid (69-72-7)	
Fluorinated greenhouse gases	False

Section 13 - Disposal Considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Section 14 - Transport Information

ADG	IMDG	IATA
14.1. UN number		
2735	2735	2735
14.2. UN Proper Shipping Name		
POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Isophorone Diamine)	POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Isophorone Diamine)	Amines, liquid, corrosive, n.o.s.
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
III - substances presenting low danger	III	III
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

UN-No. (ADG) : 2735
Special provision (ADG) : 223, 274
Limited quantities (ADG) : 5l
Packing instructions (ADG) : P001, IBC03, LP01
Portable tank and bulk container instructions (ADG) : T7
Portable tank and bulk container special provisions (ADG) : TP1, TP28

Transport by sea

UN-No. (IMDG)	:	2735
Special provisions (IMDG)	:	223, 274
Packing instructions (IMDG)	:	P001, LP01
IBC packing instructions (IMDG)	:	IBC03
Tank instructions (IMDG)	:	T7
Tank special provisions (IMDG)	:	TP1, TP28
EmS-No. (Fire)	:	F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	:	S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	:	A
Properties and observations (IMDG)	:	Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

Air transport

UN-No. (IATA)	:	2735
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y841
PCA limited quantity max net quantity (IATA)	:	1L
PCA packing instructions (IATA)	:	852
PCA max net quantity (IATA)	:	5L
CAO packing instructions (IATA)	:	856
CAO max net quantity (IATA)	:	60L
Special provisions (IATA)	:	A3, A803
ERG code (IATA)	:	8L

14.8. Hazchem or Emergency Action Code

Hazchem Code : 2X

Section 15 - Regulatory Information

15.1. Safety, health and environmental regulations

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS Inventory) status : All the chemicals contained in this product are listed introductions

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Relevant Poisons Schedule number : Unscheduled substance

15.2. International agreements

No additional information available

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)
AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)

R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons

Classification	
Skin Corr. 1B	H314
Eye Dam. 1	H318
Skin Sens. 1	H317

Full text of H-statements	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 5 (Dermal)	Acute toxicity (dermal), Category 5
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H302	Harmful if swallowed
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H332	Harmful if inhaled
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using the product.

This SDS is prepared in accord with the SWA document “Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice” (July 2020 to GHS7).